

**IN THE CLAIMS:**

Please cancel claims 3, 6, 7, 20, 23, 24, 41, and amend the claims as follows:

1. (Original) A method for managing bookmark information in a data structure residing on a computer, comprising:  
receiving the bookmark information from a plurality of sources networked to the computer, the bookmark information comprising source identifier information and network addresses; and  
storing the bookmark information in the data structure.
2. (Original) The method of claim 1, further comprising collecting the network addresses and source identifier information during an Internet browsing session.
3. (Cancelled)
4. (Original) The method of claim 1, wherein the plurality of sources is selected from the group comprising of a laptop, a cellular phone, e-mail, a personal data assistant, a set-top box, a watch, a hand-held computer, a pager, and a desktop computer.
5. (Original) The method of claim 1, wherein the data structure is a bookmark table having at least one bookmark entry.
6. (Cancelled)
7. (Cancelled)
8. (Original) The method of claim 2, further comprising populating a plurality of fields with the bookmark information to form the at least one bookmark entry.

9. (Original) The method of claim 2, further comprising collecting the bookmark information as at least one bookmark entry in a bookmark table.

10. (Original) The method of claim 2, further comprising, prior to receiving the bookmark information, sending the bookmark information from at least one of the plurality of sources to the computer in an instance where a bookmark was generated at the at least one of the plurality of sources.

11. (Original) The method of claim 2, further comprising, prior to receiving the bookmark information:

collecting the network addresses by one or more of the plurality of sources;  
storing the network addresses as bookmarks;  
sending the bookmark information to the computer.

12. (Currently Amended) The method of claim 2, further comprising, prior to receiving the bookmark information:

browsing a network connected to the plurality of sources and comprising the network addresses;

collecting the network addresses by one or more of the plurality of sources;  
storing the network addresses as bookmarks; and  
sending the bookmark information to the computer.

13. (Original) The method of claim 12, wherein the network is the Internet and the network addresses are Uniform Resource Locators (URLs).

14. (Original) The method of claim 10, wherein the plurality of sources is selected from the group comprising of a laptop, a cellular phone, e-mail, a personal data assistant, a set-top box, a watch, a hand-held computer, a pager, and a desktop computer.

15. (Original) The method of claim 1; wherein the source identifier information is selected from the group comprising of the laptop, the cellular phone, e-mail, the personal data assistant, the set-top box, the watch, the hand-held computer, a pager, and a desktop computer.

16. (Original) The method of claim 2, wherein the source identifier information is selected from the group comprising of person, location, sender, channel, program, and phone number.

17. (Original) The method of claim 1, wherein the bookmark information received from the plurality of sources may be administered at a local computer based on the source identifier information.

18. (Original) A computer-readable medium having instructions or programs which, when executed by a process cause the process to perform a method, comprising:

receiving the bookmark information from a plurality of sources networked to the computer, the bookmark information comprising source identifier information and network addresses; and

storing the bookmark information in a data structure.

19. (Original) The computer-readable medium of claim 18, further comprising collecting the network addresses and source identifier information during an Internet browsing session.

20. (Cancelled)

21. (Original) The computer-readable medium of claim 18, wherein the plurality of sources is selected from the group comprising of a laptop, a cellular phone, e-mail, a personal data assistant, a set-top box, a watch, a hand-held computer, a pager, and a desktop computer.

22. (Original) The computer-readable medium of claim 18, wherein the data structure is a bookmark table having at least one bookmark entry.

23. (Cancelled)

24. (Cancelled)

25. (Original) The computer-readable medium of claim 19, further comprising populating a plurality of fields with the bookmark information to form the at least one bookmark entry.

26. (Original) The computer-readable medium of claim 19, further comprising collecting the bookmark information as at least one bookmark entry in a bookmark table.

27. (Original) The computer-readable medium of claim 19, further comprising, prior to receiving the bookmark information, sending the bookmark information from at least one of the plurality of sources to the computer in an instance where a bookmark was generated at the at least one of the plurality of sources.

28. (Original) The computer-readable medium of claim 19, further comprising, prior to receiving the bookmark information:  
collecting the network addresses by one or more of the plurality of sources;  
storing the network addresses as bookmarks;  
sending the bookmark information to the computer.

29. (Original) The computer-readable medium of claim 19, further comprising, prior to receiving the bookmark information:  
browsing, a network connected to the plurality of sources and comprising network addresses identified by the network addresses;  
collecting the network addresses by one or more of the plurality of sources;

storing the network addresses as bookmarks;  
sending the bookmark information to the computer.

30. The computer-readable medium of claim 29, wherein the network is the Internet and the network addresses are URLs.

31. (Original) The computer-readable medium of claim 27, wherein the plurality of sources is selected from the group comprising of a laptop, a cellular phone, e-mail, a personal data assistant, a set-top box, a watch, a hand-held computer, a pager, and a desktop computer.

B1  
A1  
32. (Currently Amended) The computer-readable medium of claim 18 wherein the source identifier information identifies individual sources of the plurality of sources is ~~selected from the group comprising of a laptop, a cellular phone, e-mail, a personal data assistant, a set-top box, a watch, a hand-held computer, a pager, and a desktop computer.~~

33. (Original) The computer-readable medium of claim 19, wherein the source identifier information is selected from the group comprising of person, location, sender, channel, program, and phone number.

34. (Original) The computer-readable medium of claim 18, wherein the bookmark information received from the plurality of sources may be administered at a local computer based on the source identifier information.

35. (Currently Amended) An apparatus, comprising:  
a computer;  
at least one bookmarking device having a unique source identifier associated therewith and containing a first browser adapted to process network addresses and bookmark selected ones of the network addresses; and

a network connection connecting the computer to the at least one bookmarking device and ~~comprising network addresses~~, wherein the at least one bookmarking device transfers the selected ones of the bookmarked network addresses and the unique source identifiers to the computer via the network connection in a manner preserving an association between the selected ones of the bookmarked network addresses and the unique source identifier.

36. (Original) The apparatus of claim 35, wherein the network connection comprises the Internet.
37. (Original) The apparatus of claim 35, wherein the network connection comprises a wireless connection.
38. (Original) The apparatus of claim 35 wherein the source identifiers are selected from the group comprising of a laptop, a cellular phone, e-mail, a personal data assistant, a set-top box, a watch, a hand-held computer, a pager, and a desktop computer.
39. (Original) The apparatus of claim 35, wherein the computer comprises a data structure for storing the network addresses and unique source identifiers.
40. (Original) The apparatus of claim 39, wherein the data structure is a bookmark table having at least one bookmark entry.
41. (Cancelled)
42. (Original) The apparatus of claim 40, wherein the computer further comprises a second browser for managing the data structure.

Please add the following claims:

43. (New) The method of claim 1, wherein the bookmark information comprises a plurality of bookmark entries, each bookmark entry comprising a bookmarked network address and an associated source identifier identifying one of the plurality of sources on which the bookmark entry was created.

44. (New) The computer readable medium of claim 18, wherein the bookmark information comprises a plurality of bookmark entries, each bookmark entry comprising one of the network addresses and an associated source identifier identifying one of the plurality of sources on which the bookmark entry was created.